

Costs associated with the occurrence of African Swine Fever in the Czech Republic

Richard Pospisil^{1*} and Pavel Zufan²

¹ Tomas Bata University in Zlin, Fac Logist & Crisis Management, 760 01 Zlin, Czech Republic

² Mendel University in Brno, Faculty of Business and Economics, 613 00 Brno, Czech Republic

*Corresponding author: r1pospisil@utb.cz

Abstract

Pospisil, R. & Zufan, P. (2025). Costs associated with the occurrence of African Swine Fever in the Czech Republic. *Bulg. J. Agric. Sci.*, 31(5), 849–859

African Swine Fever (ASF) is a viral disease of domestic pigs and wild boars of all breeds and ages, similar to classical swine fever. In infected animals, it causes a wide range of clinical symptoms and is characterized by a high lethality rate of almost 100%. Due to the potential transmission of infection from wild to domestic pigs, *ASF* has significant budgetary and economic implications. The State Veterinary Administration announces Extraordinary Veterinary Measures and closes surveillance zones, restricting the movement of people, animals, and agricultural products. At the same time, compensation is paid for a wild boar shot or found dead that is tested for the presence of *ASF*. The first occurrence of *ASF* in wild boars in the Czech Republic was confirmed in 2017, followed by a second occurrence in 2018, involving a total of 230 boars. After a subsequent period without proven infection, the virus was re-recorded in 2023. This year, 3,300 clinical tests were conducted, and 59 occurrences of *ASF* were confirmed, resulting in more than EUR 965,000 in compensation payments. In terms of compensation costs, *ASF* is one of the most expensive diseases after Avian influenza and Salmonellosis in poultry. Breed pigs on 232 farms were also continuously clinically tested, but the *ASF* virus was not proven in commercial farms. Due to the unfavorable disease situation, especially in the surrounding countries, and the free migration of animals, careful veterinary supervision is still required.

Keywords: African Swine Fever; wild boar; domestic pig; infectious diseases; costs

Introduction

African Swine Fever (ASF) is a viral disease of domestic and wild pigs of all breeds and ages, similar to classical swine fever. In infected animals, it causes a wide range of clinical signs, depending on the virulence of the virus, which can manifest as a peracute, acute, subacute, or chronic form. *ASF* is characterized by a high lethality rate of almost 100%. The original area of *ASF* occurrence is sub-Saharan Africa. The natural reservoir of the virus in Africa is the warthog, the African brush hog, and the forest pig (Hayes et al., 2021). Another reservoir of the virus and a carrier of the disease are large oval mites, specifically ticks from the genus *Ornithodoros*. *ASF* is a reportable infection. *ASF* is not transfer-

able to humans and does not exist (Halasa et al., 2016). The disease was introduced to the European Union from Asia. In 2007, *ASF* was confirmed in Georgia, and from there the infection gradually spread to Armenia, Russia, Azerbaijan, Ukraine, Belarus, and Moldova. In January 2014, the first case of *ASF* was reported in Lithuania, and this year, the infection has also spread to Latvia, Estonia, and Poland. In the Baltic States (Estonia, Latvia, and Lithuania) and Poland, *ASF* has not been eradicated in any of these countries to date (Cwynar et al., 2019). In the Baltic states, *ASF* covers practically the entire territory of these countries and occurs in both wild and domestic pigs (O'Neill, 2020).

The disease can be spread through direct contact with an infected animal or the carcass of an animal that has died of

ASF, as well as through raw or undercooked products and waste containing infected pork or contaminated materials, such as feed, litter, manure, vehicles, footwear, clothing, and vectors. Recently, however, humans and their activities (international trade, travel) have become the most significant risk of long-distance spread (Bosch et al., 2016; Galindo and Covadonga, 2017).

In 2023, *ASF* was reported to the European Animal Disease Information System (ADIS) from a total of 15 European countries, including 11 EU member states (Bulgaria, Czech Republic, Estonia, Italy, Lithuania, Latvia, Hungary, Germany, Poland, Romania and Slovakia) and Ukraine, Serbia, Moldova and North Macedonia. During 2023, compared to 2022, there was a significant reduction in the number of *ASF* outbreaks in domestic pig farms, as well as a significant reduction in the number of positive findings in wild pigs. In total, 536 *ASF* outbreaks in domestic pig farms were reported in 2023 (1,856 outbreaks in 2022) and 7,306 positive *ASF* findings in feral pigs; 12,036 cases in 2022 (ADIS, 2023).

The Czech Republic is among the countries that have managed to eradicate a number of diseases still occurring in other European countries or around the world from their animal farms. With the help of breeders and the consistent supervision of the State Veterinary Administration, the Czech Republic manages to maintain a good infection situation. Country statuses are granted by the European Commission and the World Organization for Animal Health (WOAH, formerly OIE). Thanks to these statuses, animal breeders and traders today have favorable conditions for their business activities in terms of disease prevention, resulting in lower financial costs (losses) in the fight against these diseases (SVA, 2023).

Not only animal health, but also the protection of animal well-being (welfare) has a long-standing historical basis in the Czech Republic. It has recently become one of the main societal issues. It does not only concern the provision of the correct husbandry requirements for farm animals, but over time and with the development of society, it also began to be significantly addressed in the field of hobby breeding, in shelters for stray and abandoned animals, in circuses, in zoos and other facilities for animals (SVA, 2023).

The European Commission of the Czech Republic granted the status of a country officially free of the following diseases: *bovine tuberculosis*, *bovine brucellosis*, *bovine and caprine brucellosis*, *enzootic bovine leukosis*, *bluetongue*, *rabies*, *Aujeszky's disease* in domestic pigs, *infectious anemia of salmonids*, and *infectious bovine rhinotracheitis* (EC, 2023).

According to the World Organization for Animal Health, the Czech Republic has achieved the status of a country free of *foot-and-mouth disease*, *African horse sickness*, *plague in*

small ruminants, *classical swine fever*, *rinderpest*, and for *bovine spongiform encephalopathy*, the highest possible status of negligible risk. Unfortunately, seven years ago, *ASF* occurred in the north of the Czech territory (WOAH, 2023; SVA, 2023).

A total of 36 peer-reviewed articles, written in English, were found that presented their economic analysis (Vienna et al., 2023).

Knowledge about the economic consequences of *ASF* can better inform effective allocation of resources for disease prevention and potential response (Dixon et al., 2019). Economic analyses have been conducted in regions around the world since at least the late 1970s; however, there has been no rigorous meta-analysis or review of the economic literature on *ASF* in more than 10 years. Knight-Jones and Rushton (2013) provide an extensive table of existing cost-benefit analysis studies of control and eradication programs as part of their original economic analysis (Knight-Jones and Rushton, 2013). However, the paper does not specifically function as a scoping or systematic literature review. Bennett and Jpelaar (2005) also reviewed 34 endemic diseases in Great Britain, where they outlined new developments in economic analysis and updated disease cost estimates (Hess, 2019); however, they did not report a table of all findings and briefly summarize results with no mention of *ASF* (Bennett and Jpelaar, 2005). While acknowledging that many economic evaluations of non-zoonotic animal disease programs have been carried out on an ad hoc basis, Perry and Grace (2009) conclude that the varying diseases, methodologies, and results make it difficult to draw general conclusions or compare diseases (Perry and Grace, 2009). It is also worth noting that most of these studies have been conducted in developed countries, and those from developing countries rarely consider the differential impact on individuals with low incomes (Perry and Grace, 2009).

African Swine Fever – the current status in the Czech Republic

On June 26, 2017, the first occurrence of *ASF* in the wild pig population was confirmed in the Czech Republic. Investigations carried out at the State Veterinary Institutes in cities Olomouc and Jihlava proved infection in two pieces of dead wild boars found on 21 and 22 June in the cadastral territory of Priluka near Zlín in the Zlín Region. The timely capture of *ASF* was made possible by comprehensive monitoring, within the framework of which, since 2014, all dead wild boars found have been investigated for *ASF* throughout the Czech Republic.

Immediately after the confirmation of this dangerous disease, by the legislation of the Czech Republic and the EU, the State Veterinary Administration (SVA) issued extraor-

dinary veterinary measures (EVM) aimed at preventing the spread of *ASF* in the wild boars population and, in particular, to prevent the introduction of *ASF* into domestic pig farms, its gradual suppression and final eradication. The so-called infected area (IA) was defined, and measures were established in this area. The entire district of Zlín (1,033 km²) was designated as an IA, and the so-called high-risk area was defined within the IA.

In addition to the immediate delimitation of the IA on a sufficiently large area, among the essential measures taken were the regulation of hunting (including its complete ban in the IA in the initial phase of the spread of *ASF* and cooperation with the Police of the Czech Republic in a later phase), a ban on feeding and limiting the baiting of wild boars, the regulation of intensive searches and removal of wild boar carcasses, restriction of wild boar migration from and to the protected area (using electric and odor fences and leaving part of the unharvested crops as a food source), demarcation of the area with intensive hunting around the protected area and, of course, continued intensive monitoring of *ASF* throughout the Czech Republic. All wild boars caught in the IA and in the intensive hunting area, as well as all dead wild boars found, were examined at the *ASF* and disposed of under strict biosecurity conditions.

At the same time, breeders of domestic pigs in the IA were ordered to carry out an inventory of all categories of pigs kept on the farm. The rules of biological safety of farms were established, in particular, the prevention of contact between domestic pigs and wild boars, the use of disinfectants at the entrances to the farm, reporting of deaths and sick pigs suspected of *ASF*, control of all movements of pigs, and the obligation to report domestic slaughter of pigs. Inspections focused on compliance with biosecurity principles were implemented in pig holdings. In the infested area, they also took samples for laboratory examination of *ASF*, as required by relevant legislation. A ban on feeding kitchen waste to domestic pigs was issued throughout the Czech Republic.

By consistently applying the measures taken, it was possible to prevent the spread of *ASF* infection in the wild pig population and the introduction of *ASF* into domestic pig farms.

Materials and Methods

The issue of costs associated with the occurrence and suppression of infectious diseases of wild and farm animals in general stands on the edge of their legal regulation and economic impact on public budgets. This also applies to the current incidence of *ASF* in the Czech Republic. The primary method used was therefore the assessment of legislation, i.e.,

legal acts, decrees, and implementing regulations, and their application to the occurrence of *ASF* in the Czech territory. Furthermore, the relevant EU legislation was analyzed and compared with the relevant legislation of the Czech Republic.

A concurrent method of economic evaluation was an in-depth analysis of statistical data related to the costs of *ASF* eradication in the Czech Republic; this information was provided by the Ministry of Agriculture of the Czech Republic (Saksún, 2023). Subsequently, the data was related to individual items of cost compensation in the application of EVM, as stipulated by the Veterinary Act.

In the case of *ASF*, the total costs according to the Veterinary Act included the costs of monitoring the infectious situation, serological and virological examinations, the costs of setting up and guarding protective zones, surveillance zones, and other limited zones, and compliance with the measures during the specified period of observation before the end of emergency veterinary measures.

Compensations and reimbursements for shot and found pieces of wild boars and their carcasses were calculated in three areas:

- (i) IA directly in the area of occurrence of the shot boar or its carcass;
- (ii) in the closed zone I (CZ I) and subsequently also;
- (iii) in the closed zone II (CZ II).

SVA defined CZ I within a radius of 3 km from the focus of the *ASF* infection, resulting in an area of approximately 30 km². CZ II is then defined within a radius of 10 km from the outbreak, resulting in an area of approximately 314 km².

The main component of costs is financial compensation paid in connection with the shooting of wild boars by members of the Hunting Association of the Czech Republic, as well as compensation paid for dead and found carcasses of wild boars cumulatively in IA, CZ I and CZ II.

The analysis presented in this article covers the period from the beginning of 2017, when the first occurrence of *ASF* was confirmed in the Czech Republic, until the end of 2023. The content and method of this work build upon previous articles by the authors, which addressed this issue and were already published (Pospisil and Kunz, 2019).

Results

The first occurrence of *ASF* was recorded at the end of June 2017. A total of 205 positive cases of *ASF* in wild boars were diagnosed from 26 June 2017 to 31 December 2017, of which 191 cases were found dead and 14 cases were shot wild boars. All positive cases were detected only in a small part of the IA region.

Favorable developments continued in 2018. By consistently applying the prescribed veterinary measures, it was possible to keep the *ASF* infection in the same territory without further spread. Based on the monitoring results and the favorable development of the epidemiological situation, the infested area was reduced as of 1 February 2018. The result of the SVA's cooperation with hunters and the Czech Republic's police in hunting wild boars in the infected area was a reduction in the number of wild boars in this area to a minimum. During 2018, the number of wild boars caught and found dead decreased, but the number of positive cases decreased significantly. For the entire year 2018, only 25 positive cases of *ASF* in wild boars were diagnosed, of which 21 cases were found dead and 4 cases were shot. The last positive case in a shot wild boar was detected on February 8, 2018, and in a dead wild boar found on April 15, 2018 – but in this case it was a 5–6 month old carcass, which means that the infection and death already occurred at the end of 2017 or the beginning of 2018. All other examinations as part of the ongoing intensive monitoring of both wild boars and domestic pig farms were negative.

The favorable development of the situation continued in 2019 as well. Intensive monitoring of *ASF* continued in both wild boars (all found dead wild boars in the entire territory of the Czech Republic, as well as those caught in IA and areas with intensive hunting) and in domestic pigs (all litters, suspected dead pigs, and mass deaths of pigs). In all cases, the *ASF* examination was negative. Based on the area-wide monitoring of *ASF* and its results, all areas of the Czech Republic were exempted from Part I and Part II of the Annex to Commission Implementation Decision 2014/709/EU by the European Commission's implementing decision (EU) 2019/404 of 12 March 2019. With this decision, the EC officially recognized that the Czech Republic has eradicated *ASF* on its territory and continues to be considered an *ASF*-free member state. Subsequently, the World Organization for Animal Health (OIE) restored the country's status as free of *ASF* on 19 April 2019 by publishing the Czech Republic's self-declaration on the OIE (OIE, 2019). In connection with the completion of the eradication of *ASF* in the Czech Republic on March 14, 2019, the SVA canceled the infested area and the area with intensive catching, along with the measures that applied to them. Thus, only some measures valid for the entire Czech Republic remained in force.

After more than 4 years, the reappearance of *ASF* in the Czech Republic was proven in December 2022. For the entire year 2023, SVA recorded 59 positive cases of *ASF* in the wild boar population. The same infection was also confirmed in an individual caught in Ceskolipsko. The last confirmed dead piece was found in the cadastral territory of the munic-

ipality of Visnova. Although the Czech Republic has been successful in suppressing and eradicating *ASF*, the risk of its possible reintroduction to Czech territory remains.

As of October 3, 2023, the SVA has amended the EVM for the suppression of *ASF*, valid for the CZ I. Hunters will now be able to move animals caught in the CZ I outside this zone without a veterinary certificate. The change should bring a slight simplification of the hunters' agenda and slightly reduce their costs for issuing veterinary certificates during the move.

The announcement of the move and the move itself will only be possible after receiving a satisfactory result of the laboratory examination of the caught piece for *ASF*. The notification can be used for all legal purposes related to the use of wild boar, i.e., both for the hunter's consumption and that of their household, as well as for delivery to a retail store or catering establishment. On the contrary, it cannot be used in the case of delivery to a processing facility outside CZ I (such as a restaurant or a purchase). In this case, a veterinary certificate will still be required. In the case of movements within CZ I, there is no need for notification or a veterinary certificate, except for deliveries to a game plant. It should be emphasized that venison delivered to venison plants, including venison buyouts, must come exclusively from registered or approved and registered establishments in the long term. Meat from wild boars that have been stored in domestic conditions cannot be added to them.

Closed zones I – II of areas with ASF occurrence

Areas with the risk of *ASF* virus occurrence are divided into CZ I and CZ II, and in each of them, there are restrictions on the handling of caught black game, its meat (venison), and products from this meat.

In closed zones (i.e., also within the zone), a general prohibition applies to the movement of all products originating from wild boars. Legislation allows the Regional or Central SVA to grant the following exceptions to this prohibition:

- Zone II may not leave wild boars caught here or their unprocessed meat,
- The direct sale of caught boars and their meat by the hunter to the final consumer is also prohibited here.
- Only venison that has been tested for *ASF* with a satisfactory result can be used for human consumption, namely:
 - From CZ I, unprocessed game from black game or products derived from it, produced through routine technological procedures, may be placed on the market; however, game and products may not leave the territory of the Czech Republic.

- CZ II and outside – unprocessed venison from black game can only be used for private consumption in the household of a hunter or an authorized hunting participant in the territory of the closed zone in which the boar was caught,
- from CZ II and outside, only meat products produced by special processing methods that ensure the mitigation of the risk of *ASF* transmission by these products can be taken out. Such processing must take place in an approved and designated establishment, and the products can then be marketed throughout the EU. It is possible to export from the Czech Republic only meat products produced by specially designated processing methods that ensure the mitigation of the risk of *ASF* transmission through these products. Such processing must occur in an approved and designated business location.

Costs related to *ASF* occurrence

For the whole year, *ASF* was detected in 59 wild boars. The SVA immediately after the confirmation defined the IA

and ordered the EVM to prevent the spread of the disease. CZ I was defined around the zone of infection on 20 January 2023 within a radius of 3 km, and a week later it was extended to CZ II, i.e., within a radius of 10 km around the proven infection.

The following Table 1 provides number of wild pigs found dead in IA in 2023. The next following tables provide an overview of the incidence of *ASF* in 2023 in zones IA, CZ I, and CZ II, including examined and positive wild boars. The right column cumulatively and sequentially loads the cases as they are registered during the year. Zones CZ I and CZ II are reported together, but are divided into wild boars found dead (Table 2) and wild boars shot (Table 3) by members of the Hunting association of the Czech Republic. Due to the relatively high number of occurrences, cases are reported monthly as positive *ASF* incidence occurs.

The relatively small number of found dead wild boars in the Table 1 is likely due to their registration directly in IA, which is a tiny area of focus for *ASF* infection.

Table 2 shows that *ASF* infection was detected in 51 % of the dead wild boars found. Due to overpopulation and subsequent damage to agricultural production, as well as the imminent danger of collision with cars, and to prevent and eradicate

Table 1. Number of wild pigs found dead in IA in 2023

Date	Number of dead/killed wild boars found according to the examinations carried out			
	SVA: Frydland and Ceskolipsko regions			
	Virology Epl 402		Serology Epl 412	
	Examined/Positive	Cumulative/Positive	Examined/Positive	Cumulative/Positive
2023				
January	–	2/2	–	1/0
May	1/0	3/2	–	1/0
June	–	3/2	–	1/0
Σ		3/2		1/0

Source: SVA; 2023

Table 2. Number of wild boars found dead in CZ I and CZ II in 2023

Date	Number of found dead wild boars according to the following EVM			
	SVA: Frydland and Ceska Lipa regions			
	Virology Epl 405 and 406		Serology Epl 415 and 416	
	Examined/Positive	Cumulative/Positive	Examined/Positive	Cumulative/Positive
2023				
March	–	7/6	–	1/0
April	3/2	10/8	–	1/0
May	7/7	17/15	6/0	7/0
June	29/22	46/37	10/0	17/0
July	5/2	51/39	7/0	24/0
August	9/2	60/41	5/0	29/0
Septemb.	10/1	70/42	8/1	37/1
October	7/0	77/42	6/0	43/1
Novemb.	4/0	81/42	3/0	46/1
Decemb.	2/0	83/42	1/0	47/1
Σ		83/42		47/1

Source: SVA; 2023

the occurrence of *ASF*, the shooting of wild boars is permitted in the Czech Republic all year round. The following table shows the number of *ASF*-positive wild boars hunted and shot.

Table 3 shows that *ASF* infection was detected in 2.5 % of shot wild boars. The generally lower incidence of the *ASF* virus is likely due to several factors, including the fact that wild boars were not intentionally shot for *ASF* eradication, as well as other reasons. It primarily concerns the regulation of wild boar populations, the protection of crops, and the use of meat by members of regional hunting associations.

The following table shows the amount of compensation paid for a wild boar shot or found dead in individual months in CZ II and CZ I.

Compensation paid for wild boar shot or found dead changed during the outbreak of *ASF* in the Czech Republic. Although the first occurrence of *ASF* appeared in the Czech

Republic already in 2017, compensation for wild boars shot or found dead was paid from 1 January 2023. At the time of the first occurrence, the compensation was EUR 120 for one wild boar; subsequently, the amount was reduced to EUR 40. Finally, the amount was set at EUR 80 as of September 13, 2023, and remains valid to date. This is also the main reason why the amounts of compensation paid fluctuate over time, as shown in Table 4.

The analysis in this article begins in 2017, when the first occurrence of *ASF* in wild boars was recorded in the Czech Republic. A total of 205 cases were proven in 2017 (191 found dead and 14 shot). Subsequently, 25 cases were proven in 2018 (21 dead boars and four shot boars). This was a period when the compensations paid amounted to EUR 120 per wild boar, so the total compensations in these two years amounted to EUR 27,600.

Table 3. Number of wild boars shot CZ I and CZ II in 2023

Date	Number of shot wild boars			
	SVA: Frydland and Ceska Lipa regions			
	Virology Epl 505 and 406		Serology Epl 515 and 516	
	Examined/Positive	Cumulative/Positive	Examined/Positive	Cumulative/Positive
2023				
March	–	80/1	–	1/1
April	28/0	108/1	–	1/1
May	28/0	136/1	–	1/1
June	17/2	153/3	1/0	2/1
July	27/0	180/3	–	2/1
August	65/4	245/7	2/2	3/2
Septemb.	80/1	325/8	3/1	6/3
October	83/1	408/9	1/1	7/4
Novemb.	75/1	483/10	–	7/4
Decemb.	74/0	558/10	–	7/4
Σ	558/10		7/4	

Source: SVA; 2023

Table 4. Financial compensations for shot and found dead wild bopars in 2023 (EUR thousand)

Date	CZ II shot boars	CZ I shot boars	CZ II dead boars	CZ I dead boars
March	2.1	1.7	0.5	0.3
April	6.6	6.5	0.7	0.3
May	9.4	10.6	2.4	0.4
June	11.3	16.5	4.5	0.4
July	12.2	23.9	7.7	1.0
August	15.0	41.2	11.2	2.2
September	32.4	106.5	22.2	6.7
October	28.7	105.9	20.9	7.7
November	37.6	100.1	18.8	7.3
December	34.6	94.8	17.7	7.0
Σ	189.9	507.7	106.6	33.3
Σ all pigs 2023 CZ II + CZ I	837.5			

Source: SVA; 2023

The primary and priority reason for eradicating *ASF* disease is to protect domestic pigs both in small breedings and on large farms. The following Table 5 shows the number of domestic pigs examined for *ASF* in the whole Czech Republic since the outbreak of the disease in 2017.

Table 5. Number of domestic pigs and number of farms examined on ASF

Number of domestic pigs and farms of all sizes examined on ASF			
Dead domestic pigs/ Positive	Aborted pigs/ Positive	Total examined/ Positive	Number of examined farms/ Positive
1 665/0	962/0	2 627/0	232/0

Source: SVA; 2023

As can be seen from the research results above, *ASF* is a disease occurring in the Czech Republic only in wild boars. Domestic pig farms are *ASF*-free. The adopted provisions of the EVM have, to date, effectively prevented the spread of *ASF* to commercial and domestic farms of all sizes.

From 2017 to the end of 2023, approximately 3300 *ASF* tests were carried out both in wild and domestic pigs, i.e. over 23 100 tests in total for the entire monitored period. Tests are usually supplied in sets of 100 pieces, and according to the current price lists, commonly used sets cost around EUR 500, meaning that each test costs approximately EUR 5. The material costs for the testing conducted during the monitored period thus reached approximately EUR 115,500.

The last group of costs is associated with the sanitation and cleanup of found dead boars, the creation of a collection point, and the payment of compensation from hunting grounds for the days when hunting was prohibited. The total compensation provided amounted to EUR 12,600 at the end of 2023.

The total direct costs associated with testing, containment, eradication, and sanitation of wild boars in an *ASF* outbreak, from the initial outbreak to the end of 2023, amounted to EUR 965,600.

Discussion

EVMs are generally ordered when a dangerous disease occurs or threatens to spread, and when animal products, water, or feed are found to be unhealthy or are suspected of being unhealthy. They are also applied if there is a risk of introducing the causative agents of animal diseases and diseases transmissible from animals to humans, or the introduction of harmful feed.

Between 2017 and 2023, EVM was declared in the event of a total of 11 different diseases, with some diseases oc-

curing in the Czech Republic every year and others only in specific years. The total compensation for the application of EVM in the Czech Republic for the entire period reached EUR 28.4 million.

The following figure 1 shows the five most expensive diseases for which the compensation reached the highest level (SVA, 2023).




Fig. 1. Five diseases with the highest compensation between 2017–2023 (EUR mil.)

Source: SVA, own processing

The highest compensations of EUR 12.4 million were paid for the eradication of *Avian influenza*, mainly due to its high incidence in 2021 and 2022. The second most costly disease is *Salmonellosis in poultry*, which occurs annually in Czech farms and for which the amount of compensation reached EUR 5.9 million. Diseases of bees also occur every year, with the total compensation for these diseases in the monitored period reaching EUR 2.5 million. It is followed by *Infectious Bovine Rhinotracheitis (IBR)* with a compensation amount of EUR 1.1 million and *ASF* with compensations of EUR 0.96 million.

At various times, *ASF* has occurred in all major and minor world economies. The range of volume significant costs or losses presented for *ASF* was from EUR 590 thousand to EUR 85.9 million, which represents the average annual pig production loss from an outbreak in Nigeria (Fasina et al., 2012) and the total economic loss value of swine de-populated from an outbreak in Spain (Bech-Nielsen et al., 1993), respectively. The range of costs and/or losses was from EUR 52.8 thousand to EUR 780.1 million which represent the total direct annual production loss from an outbreak in Australia (Garner et al., 2001) and the maximum median epidemic cost (based on infected herd) of an outbreak in Denmark (Boklund et al., 2009), respectively. Finally, the range of costs and/or losses presented for *ASF* was between EUR 75

and EUR 76.8 million in 2019 which represent total average economic loss per herd from an outbreak in Ethiopia (Jemberu et al., 2019) and the maximum, median total national loss in agricultural surplus from an outbreak in California in the United States (Carpenter et al., 2019), respectively. These ranges highlight the fact that geospatial information and scale are paramount to compare studies and since that was not uniform, it is nearly impossible to make generalizations about which of these diseases is the most costly, but *ASF* appears to be one of the most expensive (Mangen and Burrell, 2003; Brown et al., 2020). The economic scoping review affirmed that an outbreak of any of diseases is expensive and that the economic impact of each disease is driven by a number of factors, including location of outbreak (Hop et al., 2016; Mahul and Durand, 2000; Pendell et al., 2007), trade implications (Babalobi et al., 2007a; Countryman and Hagerman, 2017; Mangen et al., 2004) and consumer reaction (Blake et al., 2003; Thompson et al., 2002). The results of the review also implied that disease management and control practices heavily contribute to the economic impact of the disease (Boklund et al., 2009; Schoenbaum and Disney, 2003). Comparing across studies, analyses were often partial in terms of total impact evaluation (micro and macro-economic), therefore not capturing the whole burden on the economy (Garner and Lack, 1995).

The latest large outbreak of *ASF* was reported in China, the world's biggest producer and consumer of pork, in August 2018 and has killed millions of pigs (NBS, 2020). The number of pigs slaughtered and the total pig herd in China were about 700 million and 450 million head per year, respectively. The officially released data on culling and deaths caused by the *ASF* accounts for less than 0.2% of the yearly number of slaughtered (healthy) pigs (MAG, 2020).

The real estimation might be that 43.5 million domestic pigs died either due to *ASF* virus infection, being culled to stamp out the virus or as a consequence of other *ASF*-related impacts during the first year of the *ASF* outbreaks, accounting for 6.3% of the total number of pigs slaughtered in 2018 (that is 693.8 million). The total economic direct loss caused by the *ASF* outbreak is estimated to be about EUR 13.6 billion, amounting to 0.78% of China's gross domestic product in 2019 (Shibing et al., 2021).

The total indirect economic losses to producers in all sectors of the Chinese economy (149 sectors) are estimated to have been EUR 13.2. Across the different provinces in China, this varies from EUR 1.3 million in Qinghai Province to EUR 1.9 billion in Guangdong Province (Chiang and Sun, 2019). The average indirect economic losses for producers per province were EUR 424.5 million, and 18 provinces suffered losses ranging from EUR 90.9 million to EUR 818.2

million. The provinces with high economic losses for producers are mainly located in the eastern coastal, central and southern parts of China (Shibing et al., 2021).

The 2019 *ASF* outbreaks in Vietnam imposed considerable impacts on the pig sector in Vietnam, resulting in the death or culling of nearly six million domestic pigs, or more than 20% of the country's pig population. The outbreak caused severe direct and indirect economic losses among farmers, particularly medium and large farmers whose livelihoods are derived mainly from pig production. The adverse impacts of the *ASF* outbreak were not restricted to the pig sector but also extended to other related sectors of the economy. The outbreaks led to a significant loss of jobs in the pig sector and the relevant sectors, estimated at up to 247,000 jobs, while total losses in the pig sector reached EUR 380 million and in the processing and food industry EUR 245 million (Nguyen-Thi et al., 2021).

In September 2019, East Timor, where pigs are kept by more than 70% of households, became the eleventh Asian country to report *ASF*. The pig-keeping sector consists of around 142,000 (72%) households in the country. In most rural communities, at least 75% of households raise domestic pigs. For families, replacing a pig comes at significant cost. The value of the national herd exceeds EUR 145.5 million. This implies a per pig-keeping-household value of more than EUR 909.1 (Smith et al., 2019).

In Africa, the economic cost of *ASF* had been estimated at EUR 13.1 million in Benin between 2014 and 2018 (Ohouko et al., 2020). The cost of an epidemic in Nigeria in 2001, primarily due to the high mortality rate (91%) in 306 farms, was EUR 85.5 million (Babalobi et al., 2007b). An epidemic in 219 households in Tanzania has resulted in EUR 41.1 million (Halasa et al., 2016; Kivumbi et al., 2021).

The *ASF* virus has been detected among wild pigs in all states bordering the Czech Republic. In Poland, *ASF* has been escalating and spreading to new areas since 2018. In 2021 and 2022, *ASF* outbreaks occurred in the west of Poland, particularly in the area close to the border with the Czech Republic. In 2023, cases of *ASF* in wild pigs and outbreaks of the disease in domestic pig farms were reported in Poland. In 2018, the *ASF* outbreaks in domestic pigs included 25,395 pigs; in 2019, it included 35,360 pigs; and in 2020, it included 56,210 pigs. As for the pork trade, the confirmation of the *ASF* virus in Poland has resulted in many non-EU countries (Russia, Belarus, Ukraine, Kazakhstan, China, Japan, South Korea, Taiwan, Singapore, Azerbaijan, and Georgia) banning the import of pork products from Poland. This has caused difficulties in exports and the need to diversify outlets. All of these activities generate costs. In total, in the years from 2014 to 2020, the costs of *ASF* virus control in

Poland amounted to over EUR 97.6 million (Szymanska and Dziwulaki, 2022).

In Germany, *ASF* has been present since 2020. The first cases of *ASF* were confirmed in wild boars in areas adjacent to localities where *ASF* has occurred in Poland. Currently, *ASF* in wild boars occurs in three federal states: Saxony, Brandenburg, and Mecklenburg-Vorpommern. In the Federal Republic of Saxony, the infection in the wild boar population is slowly spreading inland. At the end of February 2023, one outbreak of *ASF* was confirmed in Germany on a farm with domestic pigs (a small farm with 11 pigs) in the district of Cottbus in the Federal Republic of Brandenburg (Richter et al., 2023). The costs associated with the eradication and the payment of compensation for the shot pieces reached the above-mentioned federal states EUR 12.3 million.

In Slovakia, the first positive findings of *ASF* were recorded in July 2019 in domestic pigs in the Trebisov district. Subsequently, the first case of *ASF* in a wild boar was confirmed in August 2019. This was a wild boar caught in an area where *ASF* occurs in domestic pigs (Trebisov district) and which exhibited behavioral changes suggestive of *ASF* before capture. In Slovakia, *ASF* in wild boars is gradually spreading, especially in the eastern, central, and southern parts of the country. In 2023, no outbreaks in domestic pig farms have been confirmed so far (Schmidt et al., 2021). Losses caused by the occurrence of *ASF* in Slovakia reached EUR 0.6 million at the end of 2023.

Bulgaria and Romania are currently facing a mid-term difficult infectious situation, with almost the entire territory of these countries affected, including some large-scale pig farms with 20-40 thousand reared pigs (Zani et al., 2019). The first outbreak of *ASF* occurred in 2017 in Romania and one year later, in 2018, in Bulgaria. In Romania 15 200 professional and non-professional farms have been compensated. The total value of the compensations paid by the end of 2021 was EUR 102.5 thousand (Martin et al., 2021). Veterinary measures implemented early on and subsequently followed mainly in Bulgaria managed to stabilize the situation and prevent further large-scale spread of the disease.

At the beginning of 2022, the first case of *ASF* (genotype II) was confirmed in mainland Italy (in Sardinia, *ASF* has been endemic since the 70s – genotype I) in the Piedmont region and then in the Liguria region. Italy immediately took measures to prevent the spread of *ASF* to other areas. Despite the measures taken, another case was confirmed in early May in a wild boar near Rome in the Lazio region. During 2022, Italy successfully limited the contagion to only the three regions mentioned above. In 2023, *ASF* spread to other areas in southern Italy, including the tourist regions of Calabria and Campania (Franzoni et al., 2020).

In 2023, *ASF* was confirmed in wild boars and domestic pigs in Greece near the border with Bulgaria. In the past (2020), one outbreak of *ASF* in domestic pigs was confirmed in Greece, which the Greeks successfully eradicated. For this reason, the costs associated with the occurrence of *ASF* in Greece are relatively low, which is unique in the Southern and Southeastern European region (Brellou et al., 2022).

In June 2023, the first-ever occurrence of *ASF* was confirmed in Croatia and Bosnia and Herzegovina. In particular, the situation regarding the spread of *ASF* in Croatia, both on farms with domestic pigs and in the wild boar population, is very unfavorable and severe. Despite the measures taken, there is a rapid and uncontrollable spread of *ASF* in Croatia, especially in farms with domestic pigs. From the above information, it follows that despite all measures taken immediately, this dangerous disease has not yet been eradicated and, on the contrary, it is gradually spreading to other areas. As the occurrence of *ASF* is quite prevalent here and the infection is spreading, it is currently difficult to estimate the economic impact on breeding and compensation (Avilez et al., 2023).

Conclusion

African swine fever is a viral disease of domestic and wild boars of all breeds and ages, similar to classical swine fever. In infected animals, it causes a wide range of clinical signs, depending on the virulence of the virus, it can cause a peracute, acute, subacute, or chronic form. *ASF* is characterized by high, almost 100% lethality.

In the Czech Republic, on June 26, 2017, the first occurrence of *ASF* in the wild boar population was confirmed. By the end of 2023, *ASF* was detected in 59 wild pigs. Immediately afterwards, the SVA delineated CZ I within a 3 km radius of the infection center and CZ II within a 10 km radius, introducing strict EVM in both areas. This measure aimed to prevent the spread of the infection and its apparent eradication.

In parallel with these measures, compensation was paid to members of hunting associations in the attacked areas and to the finders of dead wild boars. The current amount of compensation paid is EUR 80 for both shot and found dead wild boar. Between 2017 and the end of 2023, approximately 3,300 *ASF* tests were conducted in both wild and domestic pigs, totaling over 23,100 tests for the entire monitored period.

In 2007, there were 205 cases of *ASF*; 25 cases were reported in 2018, and 59 cases were reported in 2023. All positive findings were in wild boars. During the mentioned period, 232 farms breeding domestic pigs were also tested, all with negative results, indicating that *ASF* does not cur-

rently occur in commercial farms in the Czech Republic. The total direct costs associated with testing, containment, eradication, and sanitation of pigs in an *ASF* outbreak, from the first outbreak to the end of 2023, amounted to EUR 965,600.

Between the monitored years 2007 and 2023, EVMs were also applied to the occurrence of other diseases of farm and wild animals. From the point of view of the compensations paid out, the incidence of *Avian influenza* and *Salmonellosis in poultry* was the most fiscally demanding (EUR 12.4 million and 5.9 million, respectively).

In 2023, *ASF* was reported to the European Animal Disease Information System (ADIS) from a total of 15 European countries, including 11 EU member states (Bulgaria, Czech Republic, Estonia, Italy, Lithuania, Latvia, Hungary, Germany, Poland, Romania, and Slovakia) and Ukraine, Serbia, Moldova, and North Macedonia. During the last two years, there has been a significant reduction in the number of *ASF* outbreaks in domestic pig farms, as well as a significant reduction in the number of positive findings in wild boars. Nevertheless, and precisely for this reason, the prudential activity of the SVA is still in place.

References

- ADIS (2023). Animal Disease Information System. European Commission: Food safety. Animal Disease Information System (ADIS). Animal disease information: Overview reports.
- Avilez, M., Bosch, J., Ivorra, B., Ramos, A., Ito, S., Barasona, J. & Sanchez-Vizcaino, J. (2023). Epidemiological impacts of attenuated African swine fever virus circulating in wild boars populations. *Research in Veterinary Science*, 162, 102 – 134.
- Babalobi, O. O., Olugasa, B. O., Oluwayelu, D. O., Ijagbone, I. F., Ayoade, G. O. & Agbede, S. A. (2007a). Analysis and evaluation of mortality losses of the 2001 African swine fever outbreak, Ibadan, Nigeria. *Tropical Animal Health and Production*, 39(7), 533 – 542.
- Babalobi, O. O., Penrith, M., Wosloo, W., Jori, F. & Bastos, A. (2007b). African swine fever virus eradication in Africa. *Virus Research*, 12(20), 47–69.
- Bennett, R. & Jpelaar, J. (2005). Updated estimates of the costs associated with thirty four pandemic livestock diseases in Great Britain: A note. *Journal of Agricultural Economics*, 56(1), 135 – 144.
- Blake, A., Sinclair, M. T. & Sugiyarto, G. (2003). Quantifying the impact of foot and mouth disease on tourism and the UK economy. *Tourism Economics*, 9(4), 449 – 465.
- Boch-Nielsen, S., Bonilla, P. & Sanches-Viscaino, J. (1993). Benefit-cost analysis of current African Swine Fever eradication program in Spain and of an accelerated program. *Preventive Veterinary Medicine*, 17(3–4), 235–249.
- Boklund, A., Toft, N., Alban, L. & Uttenthal, Å. (2009). Comparing the epidemiological and economic effects of control strategies against classical swine fever in Denmark. *Preventive Veterinary Medicine*, 90(3–4), 180 – 193.
- Bosch, J., Rodríguez, A., Iglesias, I., Munoz, M. J., Jurado, C., Sánchez-Vizcaino, J. M. & Torre, A. (2016). Update on the Risk of Introduction of African Swine Fever by Wild Boar into Disease-Free European Union Countries. *Trans. Bound Emerg.*, 64, 1424 – 1432.
- Brellou, G., Tassis, P., Apostolopoulou, E., Fortomaris, P., Leonides, L., Papadopoulos, G. & Tzika, E. (2022). Report on the first African swine fever in Greece. *Veterinary Sciences*, 8(8), 163 – 177.
- Brown, V. R., Miller, R. S., McKee, S. C., Ernst, K. H., Didero, N. M., Maison, R. M., Grady, M. J. & Shwiff, S. A. (2020). Risks of introduction and economic consequences associated with African swine fever, classical swine fever and foot-and-mouth disease: A review of the literature. *Transboundary and Emerging Diseases*, 68(4), 1910 – 1965. DOI: 10.1111/tbed.13919.
- Carpenter, T. E., O'Brien, J. M., Hagerman, A. D. & McCarl, B. A. (2019). Epidemic and economic impacts of delayed detection of foot-and-mouth disease: A case study of a simulated outbreak in California. *Journal of Veterinary Diagnostic Investigation*, 23(1), 26 – 33.
- Chiang, L. & Sun, J. (2019). Impacts of African Swine Fever on China's Feed Industry and Soy Demand. Rabobank, 2019.
- Countryman, A. M. & Hagerman, A. D. (2017). Retrospective economic analysis of foot-and-mouth disease eradication in the Latin American beef sector. *Agribusiness*, 33(2), 257 – 273.
- Cwynar, P., Stojkov, J. & Wlazlak, J. K. (2019). African swine fever status in Europe. *Viruses*, 11(4), 310 – 332.
- Dixon, L., Sun, H. & Roberts, H. (2019). African swine fever. *Antiviral Research*, 165(5), 34 – 41.
- EC (2023). European Commission: Diseases and control measures. Regulation (EU) 2016/429 of the European Parliament and the Council.
- Fasina, F. O., Lazarus, D. D., Spencer, B. T., Makinde, A. A. & Bastos, A. D. (2012). Cost implications of African swine fever in smallholder far-row-to-finish units: Economic benefits of disease prevention through biosecurity. *Transboundary and Emerging Diseases*, 59(3), 244 – 255.
- Franzoni, G., Giudici, S., Loi, F., Sanna, D., Floris, M., Fiori, M., Sanna, M., Madrau, P., Scarpa, F., Zinellu, S., Giammarioli, M., Cappai, S., Mia, G., Laddomada, A., Rolesu, S. & Oggiano, A. (2020). African swine fever circulation among free-ranging pigs in Sardinia: data from the eradication programme. *Vaccines*, 8(3), 549 – 561.
- Galindo, I. & Covadonga, A. (2017). African swine fever virus: a review. *Viruses*, 9(5), 103 – 123.
- Garner, M. G. & Lack, M. B. (1995). Modelling the potential impact of exotic diseases on regional Australia. *Australian Veterinary Journal*, 7(3), 81 – 87.
- Garner, M. G., Whan, I. F., Gard, G. P. & Phillips, D. (2001). The expected economic impact of selected exotic diseases on the pig industry of Australia. *Revue Scientifique Et Technique-Office International Des Epizooties*, 20(3), 671 – 686.
- Halasa, T., Botner, A., Mortensen, S., Christensen, H., Toft, N. & Boklund, A. (2016). Simulating the epidemiological and economic effect of an African swine fever epidemic in industrialized swine populations. *Veterinary Microbiology*, 193, 7 – 16.

- Hayes, B., Andraud, M., Salazar, L., Rose, N. & Vergne, T. (2021). Mechanistic modelling of African swine fever: A systematic review. *Preventive Veterinary Medicine*, 191(3), 103 – 128.
- Hess, W. R. (2019). The Arboviruses. *Taylor and Francis Group*. USA: Boca Raton. pp. 280.
- Hop, G. E., Mourits, M. C., Oude Lansink, A. G. J. M. & Saatkamp, H. W. (2016). Simulation of cross-border impacts resulting from classical swine fever epidemics within the Netherlands and Germany. *Transboundary and Emerging Diseases*, 63(1), e80 – e102.
- Jemberu, W. T., Mourits, M. C., Woldehanna, T. & Hogeveen, H. (2019). Economic impact of foot and mouth disease outbreaks on small-holder farmers in Ethiopia. *Preventive Veterinary Medicine*, 116(1 – 2), 26 – 36.
- Kivumbi, C., Yona, C., Hakizimana, J. N. & Misinzo, G. (2021). An assessment of the epidemiology and socioeconomic impact of the 2019 African swine fever outbreak in Ngara district, western Tanzania. *Veterinary and Animal Science*, 24(14), 100198.
- Knight-Jones, T. J. D. & Rushton, J. (2013). The economic impacts of foot and mouth disease – What are they, how big are they and where do they occur? *Preventive Veterinary Medicine*, 112(3 – 4), 161 – 173.
- Mahul, O. & Durand, B. (2000). Simulated economic consequences of foot-and-mouth disease epidemics and their public control in France. *Preventive Veterinary Medicine*, 47(1 – 2), 23 – 38.
- Mangen, M. J. & Burrell, A. M. (2003). Who gains, who loses? Welfare effects of classical swine fever epidemics in the Netherlands. *European Review of Agricultural Economics*, 30(2), 125 – 154.
- Mangen, M. J., Burrell, A. M. & Mourits, M. C. M. (2004). Epidemiological and economic modelling of classical swine fever: Application to the 1997/1998 Dutch epidemic. *Agricultural Systems*, 81(1), 37 – 54.
- Martin, D., Girip, M. & Antohe, R. (2021). The Effects of African Swine Fever Virus On Romanian Agriculture. *“Ovidius” University Annals. Economic Sciences Series*, 21(2), 11 – 19.
- Ministry of Agriculture of the PRC. (2020). African Swine Fever Outbreak Information, 2020.
- National Bureau of Statistics of China. (2020). Statistical Communiqué of the People’s Republic of China on the 2018 National Economic and Social Development, 2020).
- Nguyen-Thui, T., Thin-Goc, L., Ngoc, N. & Xuan, D. (2021). An assessment of the economic impacts of the 2019 African Swine Fever outbreaks in Vietnam. *Frontiers in Veterinary Science*, 8, article No. 688038.
- O’Neill, X. (2020). Modelling the transmission and persistence of African swine fever in wild boar in contrasting European scenarios. *Sci. Rep.*, 10, article No. 5895.
- Ohouko, O. F. H., Koudouvo, K., Dougnon, T. J., Agbonon, A., Karim, I. Y. A., Farougou, S. & Gbeassor, M. (2020). African swine fever in Benin and prevalence of the disease in Southern Benin: A retrospective study (2014-2018). *Journal of Advanced Veterinary and Animal Research*, 7, 464 – 470.
- OIE (2019). Official disease status of member countries. African Swine Fever – the Animal Health.
- Pendell, D. L., Leatherman, J. C., Schroeder, T. C. & Alward, G. S. (2007). The economic impacts of a foot-and-mouth disease outbreak: A regional analysis. *Journal of Agricultural and Applied Economics*, 39(1379 – 2016 – 113499), 19 – 33.
- Perry, B. & Grace, D. (2009). The impacts of livestock diseases and their control on growth and development processes that are pro-poor. Philosophical Transactions of the Royal Society. *Biological Sciences*, 364(1530), 2643 – 2655.
- Pospisil, R. & Kunz, F. (2019). The analysis of damping of the Bovine Rhinotracheitis National Recovery Program in the Czech Republic between 2006-2016. *Bulgarian Journal of Agricultural Science*. Vol. 25, No. 2, p. 396-402.
- Richter, M., Schulz, K., Elflein, T., Achterberg, J., Olsevskis, E., Serzants, M., Lamberg, K., Conraths, F., J. & Sauter-Louis, C. (2023). The first eighteen months of African swine fever in wild boar in Saxony, Germany and Latvia – a comparison. *Pathogens*, 12(87), 1 – 13.
- Saksún, J. (2023). The epidemic situation. State Veterinary Administration: *Animal Health*. 7(17), 18-31.
- Schmidt, Ch., G., Grigaliuniene, V., Helyes, G. & Kantere, M. (2021). Epidemiological analysis of African swine fever in the EU. *EFSA: Elsa Journal*, 19(5), 65 – 72.
- Schoenbaum, M. A. & Disney, W. T. (2003). Modeling alternative mitigation strategies for a hypothetical outbreak of foot-and-mouth disease in the United States. *Preventive Veterinary Medicine*, 58(1 – 2), 25 – 52.
- Shibing, Y., Tingyi, L., Miao, Z., Yizhe, D., Bi, W., Yanzhen, W., Juan L., Xinjie, W. & Baofeng, S. (2021). African swine fever outbreaks in China led to gross domestic product and economic losses. *Nature Food, Springer*, 2, 802 – 808.
- Smith, D., Copper, T., Pereira, A. & Bendita, J. (2019). Counting the cost: The potential impact of African Swine Fever on smallholders in Timor-Leste. *One Health. Elsevier*, 8, 100109.
- SVA (2023). State Veterinary Administration: Animal Health – African Swine Fever.
- Szymanska, E. J. & Dziwulaki, M. (2022). Development of African Swine Fever in Poland. *Agriculture*, 12(1), 119 – 134.
- Thompson, D. K., Muriel, P., Russell, D., Osborne, P., Bromley, A., Rowland, M., Creigh-tyte, S. & Brown, C. (2002). Economic costs of the foot and mouth disease outbreak in the United Kingdom in 2001. *Revue Scientifique Et Technique-Office International Des Epizooties*, 21(3), 675 – 688.
- Vienna, R., Lemoch, J. & Bowden, C. (2023). African swine fever. pp. 198–213. In: D.A. Jessup and R.W. Radcliffe, editors. *Wildlife disease and health in conservation*. John Hopkins University Press, Baltimore, Maryland. 468 pp.
- WOAH (2023). World Organization for Animal Health: Animal Diseases, Listed Diseases – African Swine Fever.
- Zani, L., Dietze, K., Dimova, Z., Forth, J. H., Denev, D., Depner, K. & Alexandrov, T. (2019). African swine fever in a Bulgarian backyard farm – A case report. *Veterinary Sciences*, 6(4), 94.